

FIRMWARE UPDATED CONTENT AND FUNCTION DESCRIPTION

Evoke 5000B	V1.05.01
--------------------	-----------------

Version	Upgraded	Firmware Version	Date
V1.0	- Added control function for the wired controller. - Fixed the issue where CRMX fails to automatically reconnect after being restarted.	Evoke_5000B_Ctrl_Fw_V1.01.03 Evoke_5000B_Data_Fw_V1.01.03 Evoke_5000B_Drv_Fw_V1.01.03 Evoke_5000B_Lamp_Fw_V1.01.03	2025-04-22
V2.0	- Optimized dimming performance. - Corrected the misspelling of the word pulse in the lighting effect. - Fixed a problem where DMX could not control brightness to 0.1% when dimming increment is set at 1%.	Evoke_5000B_Ctrl_Fw_V1.02.04 Evoke_5000B_Data_Fw_V1.02.04 Evoke_5000B_Drv_Fw_V1.02.04 Evoke_5000B_Lamp_Fw_V1.02.04	2025-05-10
V3.0	- Added control functionality for FL-35E and FL-45E via the NANLINK APP. - Added display of the power limit value for the CB-EV5000-AC-SK AC cable in the APP.	Evoke_5000B_Ctrl_Fw_V1.03.01 Evoke_5000B_Data_Fw_V1.03.01 Evoke_5000B_Drv_Fw_V1.03.01 Evoke_5000B_Lamp_Fw_V1.03.01	2025-06-09
V4.0	- Optimized drive control. - Enabled fast knob adjustment for DMX address and Art-Net/sACN universe settings.	Evoke_5000B_Ctrl_Fw_V1.05.01 Evoke_5000B_Data_Fw_V1.05.01 Evoke_5000B_Drv_Fw_V1.05.01 Evoke_5000B_Lamp_Fw_V1.05.01	2025-08-06

- **Evoke_5000B_V1.01.03**

Updated Content Description:

1. Added control function for the wired controller.
2. Fixed the issue where CRMX fails to automatically reconnect after being restarted.

- **Evoke_5000B_V1.02.04**

Updated Content Description:

1. Optimized dimming performance.
2. Corrected the misspelling of the word pulse in the lighting effect.
3. Fixed a problem where DMX could not control brightness to 0.1% when dimming increment is set at 1%.

- **Evoke_5000B_V1.03.01**

Updated Content Description:

1. Added control functionality for FL-35E and FL-45E via the NANLINK APP.
2. Added display of the power limit value for the CB-EV5000-AC-SK AC cable in the APP.

- **Evoke_5000B_V1.05.01**

Updated Content Description:

1. Optimized drive control.
2. Enabled fast knob adjustment for DMX address and Art-Net/sACN universe settings.